

FUNCTIONAL PATHOLOGY 1868 DANDENONG ROAD CLAYTON VIC 3168 PH: 1300 554 480

PATIENT:

RASHID VIC TEST

3 CHAPPEL ST
FOOTSCRAY VIC 3011
PH: 95386742

DOB: 16/11/1989

SEX: FEMALE

UR#:

REF:

REQUEST DETAILS:

LAB REF: 17-4679982-TSH-0

REFERRED: 23/02/17

COLLECTED: 28/02/17 08:31

REPORTED: 24/04/17 11:56

TESTED: 01/03/17

BATCH: 0 0

TESTING SYSTEMS DEPARTMENT

IT DEPARTMENT
1868 DANDENONG ROAD
CLAYTON VIC 3168

THYROID FUNCTION TEST

SPECIMEN: Serum

	Date	28/02/2017	13/08/2014	06/08/2014	05/08/2014
Collection Time		08:31	09:00	01:00	01:00
Request		17-4679982	14-9908080	14-9908060	14-9908050

		Units	Reference Range
Thyroid Stimulating Hormone	2.20	mIU/L	0.50 - 5.00
Free thyroxine (FT4)	17.0	pmol/L	9.0 - 25.0
Free Tri-iodothyronine (FT3)	5.3	pmol/L	3.5 - 6.5

Comments:

Euthyroid levels.

ENDOCRINOLOGY

PATIENT: RASHID VIC TEST

ALL TESTS COMPLETE

PANEL CODES: RT3-R,TMA-R,FT4-R,FT3-R,THA-R,TSH-R