

LABORATORY 3427-3420 1868 DANDENONG RD CLAYTON VIC 3168 PH: 03 9538 6777

PATIENT:

RASHID VIC TEST

3 CHAPPEL ST

FOOTSCRAY VIC 3011

PH: 0395386742

DOB: 01/01/1978

SEX: FEMALE

UR#:

REF: 645070544

REQUEST DETAILS:

LAB REF: 17-5632203-CPT-0

REFERRED: 29/08/17

COLLECTED: 01/09/17 11:15

REPORTED: 23/07/18 17:08

TESTED: 01/09/17

BATCH: 0 3

TESTING SYSTEMS DEPARTMENT

1868 DANDENONG ROAD

1868 DANDENONG ROAD

CLAYTON VIC 3168

SEROLOGY

CALPROTECTIN

SPECIMEN: FAECES

Calprotectin

11 ug/g

(< 50)

Interpretative Guide:

Normal: <50 ug/g

Mild inflammation: 51-200 ug/g

Active inflammation: >200 ug/g

This test is performed using the DiaSorin Liaison XL Calprotectin assay.

SEROLOGY

PATIENT: RASHID VIC TEST

ALL TESTS COMPLETE

PANEL CODES: LFT-R,ECU-R,FBE-R,ESR-R,TTG-R,GLI-R,CRP-R,FMC-R,CPT-R