

LABORATORY 3427-3420 1868 DANDENONG RD CLAYTON VIC 3168 PH: 03 9538 6777

**PATIENT:**

**RASHID VIC TEST**

3 CHAPPEL ST

FOOTSCRAY VIC 3011

PH: 0395386742

DOB: 01/01/1978

SEX: FEMALE

UR#:

REF: 00128120

**REQUEST DETAILS:**

**LAB REF: 17-2848816-CD-0**

REFERRED: 08/12/17

COLLECTED: 11/12/17 10:25

REPORTED: 23/07/18 17:18

TESTED: 11/12/17

BATCH: 0 3

**TESTING SYSTEMS DEPARTMENT**

1868 DANDENONG ROAD

1868 DANDENONG ROAD

CLAYTON VIC 3168

**IMMUNOLOGY**

**COELIAC DISEASE ANTIBODIES**

**SPECIMEN: SERUM**

REFERENCE RANGES

		Normal	Low	Mod.	Strong
Deamidated Gliadin IgG	< 20 CU	(< 20)	(20-50)	(51-80)	(> 80)
Tissue Transglutaminase IgA	< 20 CU	(< 20)	(20-50)	(51-80)	(> 80)

**INTERPRETATION**

Coeliac disease is unlikely provided the patient has not been on a gluten free diet.

**RECOMMENDATIONS**

If clinical suspicion remains high, tests on a fresh blood sample for HLA DQ2/DQ8 are recommended. Negative DQ2/DQ8 virtually excludes coeliac disease. If DQ2/DQ8 positive, small bowel biopsy may be required.

TTG IgA and DGP IgG antibodies are tested by chemiluminescent immunoassay(CIA).

Results are reported in chemiluminescent units (CU).

PATIENT: RASHID VIC TEST

CC DRS: HALLAM.

PANEL CODES: SZN-R,TFT-R,PO4-R,LFT-R,ECU-R,CA-R,IS-R,FBE-R,TTG-R,GLI-R,B12-R,GLS-R,CRP-R

ALL TESTS COMPLETE