

LABORATORY 3427-3420 1868 DANDENONG RD CLAYTON VIC 3168 PH: 03 9538 6777

PATIENT:

RASHID VIC TEST
3 CHAPPEL ST
FOOTSCRAY VIC 3011
PH: 0395386742
DOB: 01/01/1978
UR#:

SEX: FEMALE
REF: 00127266

REQUEST DETAILS:

LAB REF: 17-8741920-CRP-0
REFERRED: 20/11/17
COLLECTED: 11/12/17 11:50
REPORTED: 23/07/18 17:31
TESTED: 11/12/17
BATCH: 0 3

TESTING SYSTEMS DEPARTMENT

1868 DANDENONG ROAD
1868 DANDENONG ROAD
CLAYTON VIC 3168

PROTEIN STUDIES - C REACTIVE PROTEIN

SPECIMEN: Serum

Date	Time	Request	C-Reactive Protein
11/12/2017	11:50	17-8741920	2.9
11/12/2017	10:25	17-2848816	< 0.7
24/11/2017	08:00	17-7266710	0.9
01/09/2017	11:15	17-5632203	4.7*
Units			mg/L
Reference Ranges			< 3.0

Comments:

In the setting of infection, CRP levels >100 mg/L are supportive of bacterial rather than viral aetiology.

Note results from this CRP assay should not be used for cardiac risk assessment. Please request the high sensitivity assay (hsCRP) instead.

B
I
O
C
H
E
M
I
S
T
R
Y

PATIENT: RASHID VIC TEST
CC DRS: HARMER, KITSON.
PANEL CODES: PO4-R,LFT-R,ECU-R,CA-R,IS-R,FBE-R,CRP-R

ALL TESTS COMPLETE